

March 10, 1998

Dr. Elizabeth Yetley
Director of the Office of Special Nutritionals
Division of Programs and Enforcement Policy
Center for Food Safety and Applied Nutrition
Food and Drug Administration
200 C Street HFS-455
Washington, D.C. 20204

Dear Dr. Yetley:

Notice is hereby given pursuant to the requirements of Section 403(r)(6)(21 U.S.C. 343(r)(6) of the Federal Food, Drug and Cosmetic Act of statements of nutritional support which have been made on the label and/or in the labeling in connection with the marketing of the dietary supplement FAMILY ESSENTIALS™ WITH REFERENCE TO ANY CLAIM CONCERNING GINKGO BILOBA. FAMILY ESSENTIALS™ WITH REFERENCE TO ANY CLAIM CONCERNING GINKGO BILOBA was first marketed with these statements of nutritional support on Friday, March 6, 1998. The statements of nutritional support are as follows:

"Ginkgo Biloba is perhaps the best documented herb for improved circulation to the brain and the body's extremities.

"Ginkgo Biloba the leading herb for improved mental function and vascular circulation".

The Ginkgo Biloba (latin name: Ginkgo Biloba)herb is an ancient tree species that has survived in China for over 200 million years. Although medicinally used since 2800 BC, it was only in the last 20 years that the leaves of Ginkgo Biloba were found to have many beneficial effects on the body's circulatory system.

Ginkgo Biloba is perhaps the best researched of all the herbs. The beneficial effects of Ginkgo Biloba are attributed to a combination of principal ingredients known as ginkgo flavo glycosides and triterpene lactones. This Family Essentials™ for Active Seniors multivitamin contains the same standardization level for these ingredients as those used in scientific studies. Most scientific studies of the Ginkgo Biloba standardized herbal extract focus on its use in improving blood flow to the brain and to the body's peripheral arteries. Such healthy blood circulation supports memory function and improved mobility in the legs.

Very truly yours, MASON VITAMINS, INC.

Sonia C. Rodriguez

VP Marketing & Regulatory Affairs

975 - 0162

LET1445

## STUDIES FOR GINKGO BILOBA CLAIMS

Bauer U., "6 Month Double-blind Randomized Clinical Trial of *Ginkgo Biloba* Extract versus Placebo in Two Parallel Groups in Patients Suffering from Peripheral Arterial Insufficiency" *Arzneim-Forch./Drug Res.*; 34 (1) No 6, 1984.

Halama VP., et al. "Cerebral Insufficiency – A Placebo controlled, Randomized, Double Blinded Study on the Effect of Ginkgo Biloba Extract" Fortschr. Med.; 106/19, 54-60, 1988.

Voberg G., Clin. Trials; 22: 149-157, 1985.

Mancini M., et al., R. Gaz Med. Ital.; 152: 69-80, 1991.

Maier Hauf K., "LI-1370 After Cerebral Ancurysm Surgery: Activity in Ambulatory Patients with Cerebral Insufficiency" *Muench. Med. Wochenschr.*;133, Suppl. 1, S34-S37, 1991.

Hofferberth B., "Effect of Ginkgo Biloba on Nuerophysiological and Psychometric Measurement Results in Patients with Cerebro-organic Syndrome" Arzneimittel-Forschung/Drug Res., 39: 918-922, 1989.

Eckmann F., "Treatment of Cerebral Insufficiency with Ginkgo Biloba Extract "Fortschr. Med. 108/29 67-70, 1990.

Jung F., et al, "Effect of Ginkgo Biloba on Fluidity of Blood and Peripheral Microcirculation in Volunteers" Arzneimittel-Forschung/Drug Res.; 40: 589-593, 1990.

Bulling B., Von Bary S., "Treatment of Chronic Peripheral Arterial Occlusive Disease with Physical Training and Ginkogo biloba Extract 761" *Med. Welt.*; 42(8) 702-708, 1991.

Kleijnen J., Knipschild P., "Ginkgo Biloba for Cerebral Insufficiency" Br. J. Clin. Pharmacol. 34: 352-358, 1992.

Kade F., Miller W., "Dose/dependent Effects of *Ginkgo Biloba* Extract on Cerebral, Mental and Physical Efficiency-A Placebo controlled Double Blinded Study" Br. J. Clin. Res.; 4:97-103, 1993.

Mouren X, et al. "Study of the Antiischemic Action of Egb 761 in the Treatment of Peripheral Arterial Occlusive Disease by TcPO2 Determination" *Angiology*; 45/6, 413-417, 1994.

Blume J., et al. "Placebo controlled Double blinded Study on the Efficacy of Ginkgo Biloba Extract Egb 761 in Trained Patients Suffering from Intermittent Claudication" VASA; 25/3, 265-274, 1996.

"Phospholipid breakdown and choline release under hypoxic conditions: inhibition by bilobalide, a constituent of *Ginkgo Biloba* Klein, J., Chatterjee, S.S., Loffelholz, K. *Elsevier Science* - 1997 347-350

"A Placebo-Controlled, Double-blind, Randomized Trial of an Extract *Ginkgo Biloba* for Dementia" Le Bars, P.L., Katz, M.M., Berman, N JAMA – The Journal of the Americal Medical Assoc. October 1997 1327-1332

"Effects of Ginkgo Biloba Extract on Cerebral Functional Activity" Pidoux, B 314-320

March 10, 1998 Page 3

## STUDIES FOR GINKGO BILOBA CLAIMS

"The effects of chronic, oral *Ginkgo Biloba* extract administration on neurotransmitter receptor binding in young and aged Fisher 344 rats"

Taylor, J.E. *Eurotext Ltd* © 1985

"Effects of Ginkgo Biloba extract (GBE) on the acute phase of cerebral ischemia due to embolisms" Cahn, J.

Eurotext Ltd © 1985

"Behavioral effects of Ginkgo Biloba extract" Continella G., Drago, F. Eurotext Ltd © 1985

"Effects of Ginkgo Biloba extract on two types of cerebral edema" Borzeix, M.G. Eurotext Ltd © 1985

"Some in vitro and in vivo actions of an extract of Ginkgo Biloba (GBE 761)": DeFeudis, F.V., Auguet, M., Delaflotte, S. Eurotext Ltd © 1985 17-29

"Doubleblind and comparative (Ginkgo Biloba versus placebo) therapeutic stucy in geriatric patients with primary degenerative dementia – a preliminary evaluation" Weitbrecht, W.V., Jansen, W. Eurotext Ltd © 1985 91-99

"6-Month Double-blind Randomised Clinical Trial of *Ginkgo Biloba* Extract versus Placebo in Two Parallel Groups in Patients Suffering from Peripheral Arterial Insufficiency" Bauer, U.

"Activity of Ginkgo Biloba Extract on Short-Term Memory" Hindmarch, I. 321-326